

CERTIFICATE OF ANALYSIS

CODE # C833BL PKG LOT# 002710 MFG LOT# 006-0430

PRODUCT: Perfect Purples SHIP TO: Purity Product

MANUFACTURE DATE: 9/4/2020 EXPIRATION DATE: 09/22

PHYSICAL SPECIFICATIONS:

TEST PERFORMED:	SPECIFICATION:	RESULT:	NOTEBOOK REFERENCE:	METHOD
ORGANOLEPTIC SENSORY TEST	Conforms to Standard	Conforms	Approved by P.D.	PD-052-A
DESCRIPTION / COLOR:	Purple powder	SHAPE / SIZE:	Blend	

Each rounded tablespoon (9.0 g) contains:

INGREDIENT:	LABEL CLAIM:	SPECIFICATION RANGE :	ASSAY / FOUND	DATE:	METHOD:	NOTEBOOK REFERENCE:
Vitamin C	17 mg		Not Tested			
Fruit Powder Proprietary Blend Blueberry, Blackberry, Black Cherries, Black Raspberries, Black Currants, Plums, Elderberries, Bilberries, Figs and Raisins	4000 mg		Not Tested			
Vegetable Powder Proprietary Blend Eggplant, Purple Carrots, Purple Cabbage and Beets	1000 mg		Not Tested			
Acai Fruit Powder (Euterpe oleracea)	200 mg		Not Tested			
Camu Camu (fruit) Powder	200 mg		Not Tested			
Mangosteen (Igarcinia mangostana) Fruit Extract (Mangostin 20 mg)	200 mg		Not Tested			
Gogi (Wolfberry/Lycium barbarum) Berry Powder	200 mg		Not Tested			
Trans Resveratrol	5 mg		Not Tested			
Brain Function Proprietary Blend (L-Carnosine, Alpha GPC)	10 mg		Not Tested			
P40p Pomegranate Extract (Punicosides 12 mg)	30 mg		Not Tested			
Stevia (leaf)	30 mg		Not Tested			
Fibersol-2 Soluble Fiber	1046 mg		Not Tested			

QUALITY CONTROL APPROVAL: *Mehel Geth* DATE: 10/20/2020

CERTIFICATE OF ANALYSIS

CODE # C833BL PKG LOT# 002710 MFG LOT# 006-0430

PRODUCT: Perfect Purples SHIP TO: Purity Product

MANUFACTURE DATE: 9/4/2020 EXPIRATION DATE: 09/22

Heavy Metals

Arsenic	NMT 15 mcg/day	0.756 mcg	9/24/20	ICP-MS 232	1005/180
Lead	NMT 5 mcg/day	0.558 mcg	9/24/20	ICP-MS 232	1005/180
Cadmium	NMT 5 mcg/day	0.648 mcg	9/24/20	ICP-MS 232	1005/180
Mercury	NMT 15 mcg/day	0.846 mcg	9/24/20	ICP-MS 232	1005/180

Heavy Metal results based on daily dose of 18 g
(two scoops)

MICROBIAL TESTING	SPECIFICATION:	FOUND:	DATE:	METHOD:	NOTEBOOK REFERENCE:
Total plate count	NMT 10,000 CFU / g	<10 CFU/g	10/2/2020	Current USP	980/178-179
Yeast and mold	NMT 1,000 CFU /g	10 CFU/g	10/2/2020	Current USP	980/178-179
Salmonella	Absent/10g	Absent	10/2/2020	Current USP	980/178-179
E. coli	Absent/10g	Absent	10/2/2020	Current USP	980/178-179
S. aureus	Absent/10g	Absent	10/2/2020	Current USP	980/178-179
P. aeruginosa	Absent/10g	Absent	10/2/2020	Current USP	980/178-179
Total coliforms	Absent/10g	Absent	10/2/2020	Current USP	980/178-179

"The product specified above has been manufactured, packaged, tested and approved in accordance with the good manufacturing practices and approved standard operating procedures. Deviations from procedures have been reviewed, investigated, documented and approved by Quality Assurance Department. The lot has met all the predetermined specifications and is released for shipment."

QUALITY CONTROL APPROVAL: *Michael Gellin* DATE: 10/20/2020